Author index

Aamodt, AH, Borch-Iohnsen, B, Hagen, K, Stovner, LJ, Åsberg, A & Zwart, J-A. Headache prevalence related to haemoglobin and ferritin. The HUNT Study, 758
Abu-Arafeh, I & Callaghan, M. Short migraine attacks of less than 2 h duration in children and adolescents, 333
Adachi, N *see* Ito, M
Afonso Cunali, P *see* Benzecry de Almeida, D
Áfra, J *see* Ertsey, C
Ahmed, F *see* Cariga, P
Akguen, D *see* Katsarava, Z
Akova-Öztürk, E *see* Leinisch-Dahlke, E
Aksamit, AJ *see* Mokri, B
Alberti, A *see* Sarchielli, P
Al-Din, A *see* Davey, R
Allais, G *see* Granella, F
Alonso, EO *see* Peres, MFP
Ambrosini, A *see* D'Alessio, C
Ammendolea, C *see* Granata, M
Andersen, I *see* Eriksen, MK
Appenzeller, S & Costallat, LTL. Clinical implications of migraine in systemic lupus erythematosus: relation to cumulative organ damage, 1024
Arnold, B *see* Sang, CN
Arnold, M *see* Nedeltchev, K
Arulmani, U, Heiligers, JPC, Garrelds, IM, Sánchez-López, A, Willems, EW, Villalón, CM & Saxena, PR. Effects of sumatriptan on capsaicin-induced carotid haemodynamic changes and CGRP release in anaesthetized pigs, 717
Åsberg, A *see* Aamodt, AH
Asenbaum, S *see* Oberndorfer, S
Ashina, M *see* Mørk, H
Ashina, M. Neurobiology of chronic tension-type headache, 161
Ashina, M, Simonsen, H, Bendtsen, L, Jensen, R & Olesen, J. Glyceryl trinitrate may trigger endogenous nitric oxide production in patients with chronic tension-type headache, 967
Ashkenazi, A *see* Young, WB
Ashkenazi, A & Silberstein, SD. Periodic autonomic dysfunction without pain in a patient with cluster headache, 1005
Atkinson, JLD *see* Mokri, B
Auray, J-P *see* Lucas, C
Aurora, SK & Welch, M. Controversies in headache, 316
Austin, R *see* Barrows, C
Auterith, A *see* Wöber-Bingöl
Avcin, T, Markelj, G, Niksic, V, Rener-Primec, Z, Cucnik, S, Zupancic, M, Rozman, B & Neubauer, D. Estimation of antiphospholipid antibodies in a prospective longitudinal study of children with migraine, 831
Aydinkoc, K *see* Wöber-Bingöl
Azie, NE *see* Baldwin, JR

Badcock, DR *see* McKendrick, AM
Badino, R *see* Trucco, M
Bakketeig, LS *see* Stanstad, O
Baldi, A *see* Sarchielli, P
Baldwin, JR, Fleishaker, JC, Azie, NE & Carel, BJ. A comparison of the pharmacokinetics and tolerability of the anti-migraine compound almotriptan in healthy adolescents and adults, 288
Banik, N *see* Scholpp, J
Barbanti, P *see* Truini, A
Barón, M *see* Barriga, FJ
Barriga, FJ, Sánchez-del-Río, M, Barón, M, Dobato, JL, Gili, P, Yangüela, J, Bueno, A & Pareja, JA. Cluster headache: interictal asymmetric increment in intraocular pressure elicited by valsalva manoeuvre, 185
Barrows, C, Saunders, W, Austin, R, Putnam, G & Mansbach, H, for the SNAP Study Group. The sumatriptan/naratriptan aggregated patient (SNAP) database: aggregation, validation and application, 586
Barthwal, MK *see* Shukla, R
Battistella, PA *see* Buodo, G
Battisti, WP *see* Kolodny, A
Baykal, O *see* Katsarava, Z
on behalf of the Rizatriptan Protocol 052 Study Group *see* Kolodny, A
Bendtsen, L *see* Ashina, M
Bendtsen, L *see* Mørk, H
Benedetto, C *see* Granella, F
Benevides-Luz, I *see* Mariano da Silva, H
Benzecry de Almeida, D, Afonso Cunali, P, Larocca Santos, H, Brioschi, M & Prandini, M. Chronic paroxysmal hemicrania in early childhood: case report, 608
Bertheau, U *see* Leinisch-Dahlke, E
Berthele, A *see* Sprenger, T
Bertolini, A *see* Ferrari, A
Bigal, ME *see* Lipton, RB
Bigal, ME, Rapoport, AM, Sheftell, FD, Tepper, SJ & Lipton, RB. Transformed migraine and medication overuse in a tertiary headache centre – clinical characteristics and treatment outcomes, 483
Birk, S *see* Kruuse, C
Blau, JN. Harold G Wolff: the man and his migraine, 215
Bleakman, D *see* Sang, CN
Blin, P *see* El Hasnaoui, A
Bloem, BR *see* van der Dussen, DH
Boardman, HF *see* Thomas, E
Boers, PM, Donaldson, C, Zagami, AS & Lambert, GA. Naratriptan has a selective inhibitory effect on trigeminovascular neurones at central 5-HT_{1A} and 5-$HT_{1B/1D}$ receptors in the cat: implications for migraine therapy, 99
Bogduk, N. Cervicogenic headache, 819
Bohotin, V *see* Schoenen, J
Bonavita, V *see* Leone, M
Borch-Iohnsen, B *see* Aamodt, AH
Bordini, CA *see* Mariano da Silva, H
Born, C *see* Fischer, R
Borson-Chazot, F *see* Claustrat, B
Boureau, F *see* El Hasnaoui, A
Bozsik, G *see* Ertsey, C
Brandt, T. A chameleon among the episodic vertigo syndromes: 'migrainous vertigo' or 'vestibular migraine', 81
Brasa, J *see* Seijo-Martinez, M
Bravo, Y *see* Oterino, A
Brioschi, M *see* Benzecry de Almeida, D
Broggi, G *see* Leone, M
Brubakk, AO *see* Eftedal, OS
Bruera, OC *see* Calvo, JF
de Bruijn, SFTM *see* Padberg, M
Brun, J *see* Claustrat, B
Brundu, B *see* Granella, F
Bruni, O *see* Galli, F
Bruni, O, Russo, PM, Violani, C & Guidetti, V. Sleep and migraine: an actigraphic study, 134
Budak, F *see* Selekler, HM
Bueno, A *see* Barriga, FJ
Buodo, G, Palomba, D, Sarlo, M, Naccarella, C & Battistella, PA. Auditory event-related potentials and reaction times in migraine children, 554
Bussmann, JBJ *see* Stronks, DL
Bussone, G *see* D'Amico, D
Bussone, G *see* Diener, HC
Bussone, G *see* Leone, M

Cabarrocas, X. Reply, 688
Cabiedes, J *see* Weder-Cisneros, ND

Author index

Aamodt, AH, Borch-Iohnsen, B, Hagen, K, Stovner, LJ, Åsberg, A & Zwart, J-A. Headache prevalence related to haemoglobin and ferritin. The HUNT Study, 758
Abu-Arafeh, I & Callaghan, M. Short migraine attacks of less than 2 h duration in children and adolescents, 333
Adachi, N *see* Ito, M
Afonso Cunali, P *see* Benzecry de Almeida, D
Áfra, J *see* Ertsey, C
Ahmed, F *see* Cariga, P
Akguen, D *see* Katsarava, Z
Akova-Öztürk, E *see* Leinisch-Dahlke, E
Aksamit, AJ *see* Mokri, B
Alberti, A *see* Sarchielli, P
Al-Din, A *see* Davey, R
Allais, G *see* Granella, F
Alonso, EO *see* Peres, MFP
Ambrosini, A *see* D'Alessio, C
Ammendolea, C *see* Granata, M
Andersen, I *see* Eriksen, MK
Appenzeller, S & Costallat, LTL. Clinical implications of migraine in systemic lupus erythematosus: relation to cumulative organ damage, 1024
Arnold, B *see* Sang, CN
Arnold, M *see* Nedeltchev, K
Arulmani, U, Heiligers, JPC, Garrelds, IM, Sánchez-López, A, Willems, EW, Villalón, CM & Saxena, PR. Effects of sumatriptan on capsaicin-induced carotid haemodynamic changes and CGRP release in anaesthetized pigs, 717
Åsberg, A *see* Aamodt, AH
Asenbaum, S *see* Oberndorfer, S
Ashina, M *see* Mørk, H
Ashina, M. Neurobiology of chronic tension-type headache, 161
Ashina, M, Simonsen, H, Bendtsen, L, Jensen, R & Olesen, J. Glyceryl trinitrate may trigger endogenous nitric oxide production in patients with chronic tension-type headache, 967
Ashkenazi, A *see* Young, WB
Ashkenazi, A & Silberstein, SD. Periodic autonomic dysfunction without pain in a patient with cluster headache, 1005
Atkinson, JLD *see* Mokri, B
Auray, J-P *see* Lucas, C
Aurora, SK & Welch, M. Controversies in headache, 316
Austin, R *see* Barrows, C
Auterith, A *see* Wöber-Bingöl
Avcin, T, Markelj, G, Niksic, V, Rener-Primec, Z, Cucnik, S, Zupancic, M, Rozman, B & Neubauer, D. Estimation of antiphospholipid antibodies in a prospective longitudinal study of children with migraine, 831
Aydinkoc, K *see* Wöber-Bingöl
Azie, NE *see* Baldwin, JR

Badcock, DR *see* McKendrick, AM
Badino, R *see* Trucco, M
Bakketeig, LS *see* Stanstad, O
Baldi, A *see* Sarchielli, P
Baldwin, JR, Fleishaker, JC, Azie, NE & Carel, BJ. A comparison of the pharmacokinetics and tolerability of the anti-migraine compound almotriptan in healthy adolescents and adults, 288
Banik, N *see* Scholpp, J
Barbanti, P *see* Truini, A
Barón, M *see* Barriga, FJ
Barriga, FJ, Sánchez-del-Río, M, Barón, M, Dobato, JL, Gili, P, Yangüela, J, Bueno, A & Pareja, JA. Cluster headache: interictal asymmetric increment in intraocular pressure elicited by valsalva manoeuvre, 185
Barrows, C, Saunders, W, Austin, R, Putnam, G & Mansbach, H, for the SNAP Study Group. The sumatriptan/naratriptan aggregated patient (SNAP) database: aggregation, validation and application, 586
Barthwal, MK *see* Shukla, R
Battistella, PA *see* Buodo, G
Battisti, WP *see* Kolodny, A
Baykal, O *see* Katsarava, Z
on behalf of the Rizatriptan Protocol 052 Study Group *see* Kolodny, A
Bendtsen, L *see* Ashina, M
Bendtsen, L *see* Mørk, H
Benedetto, C *see* Granella, F
Benevides-Luz, I *see* Mariano da Silva, H
Benzecry de Almeida, D, Afonso Cunali, P, Larocca Santos, H, Brioschi, M & Prandini, M. Chronic paroxysmal hemicrania in early childhood: case report, 608
Bertheau, U *see* Leinisch-Dahlke, E
Berthele, A *see* Sprenger, T
Bertolini, A *see* Ferrari, A
Bigal, ME *see* Lipton, RB
Bigal, ME, Rapoport, AM, Sheftell, FD, Tepper, SJ & Lipton, RB. Transformed migraine and medication overuse in a tertiary headache centre – clinical characteristics and treatment outcomes, 483
Birk, S *see* Kruuse, C
Blau, JN. Harold G Wolff: the man and his migraine, 215
Bleakman, D *see* Sang, CN
Blin, P *see* El Hasnaoui, A
Bloem, BR *see* van der Dussen, DH
Boardman, HF *see* Thomas, E
Boers, PM, Donaldson, C, Zagami, AS & Lambert, GA. Naratriptan has a selective inhibitory effect on trigeminovascular neurones at central 5-HT_{1A} and 5-$HT_{1B/1D}$ receptors in the cat: implications for migraine therapy, 99
Bogduk, N. Cervicogenic headache, 819
Bohotin, V *see* Schoenen, J
Bonavita, V *see* Leone, M
Borch-Iohnsen, B *see* Aamodt, AH
Bordini, CA *see* Mariano da Silva, H
Born, C *see* Fischer, R
Borson-Chazot, F *see* Claustrat, B
Boureau, F *see* El Hasnaoui, A
Bozsik, G *see* Ertsey, C
Brandt, T. A chameleon among the episodic vertigo syndromes: 'migrainous vertigo' or 'vestibular migraine', 81
Brasa, J *see* Seijo-Martinez, M
Bravo, Y *see* Oterino, A
Brioschi, M *see* Benzecry de Almeida, D
Broggi, G *see* Leone, M
Brubakk, AO *see* Eftedal, OS
Bruera, OC *see* Calvo, JF
de Bruijn, SFTM *see* Padberg, M
Brun, J *see* Claustrat, B
Brundu, B *see* Granella, F
Bruni, O *see* Galli, F
Bruni, O, Russo, PM, Violani, C & Guidetti, V. Sleep and migraine: an actigraphic study, 134
Budak, F *see* Selekler, HM
Bueno, A *see* Barriga, FJ
Buodo, G, Palomba, D, Sarlo, M, Naccarella, C & Battistella, PA. Auditory event-related potentials and reaction times in migraine children, 554
Bussmann, JBJ *see* Stronks, DL
Bussone, G *see* D'Amico, D
Bussone, G *see* Diener, HC
Bussone, G *see* Leone, M

Cabarrocas, X. Reply, 688
Cabiedes, J *see* Weder-Cisneros, ND

Cahill, CM & Murphy, KC. Migraine and depersonalization disorder, 686
Callaghan, M *see* Abu-Arafeh, I
Calvo, JF, Bruera, OC, de Lourdes Figuerola, M, Gestro, D, Tinetti, N & Leston, JA. SUNCT syndrome: clinical and 12-year follow-up case report, 900
Campaner, L *see* Mariano da Silva, H
Cantú, C *see* Weder-Cisneros, ND
Capocchi, G *see* Sarchielli, P
Cardiel, MH *see* Weder-Cisneros, ND
Carel, BJ *see* Baldwin, JR
Cariga, P, Nandakumar, TP & Ahmed, F. Cluster headache associated with third nerve palsy: a case report, 228
Carlson, CR *see* Vazquez-Delgado, E
Carolei, A *see* Ciancarelli, I
Cassidy, EM, Hardiman, O, Dinan, T & O'Keane, V. Reply, 511
Castillo, J *see* Oterino, A
Castro del Río, M *see* Seijo-Martínez, M
Chakravarty, A, Mukherjee, A & Roy, D. Trigeminal autonomic cephalgias and variants: clinical profile in Indian patients, 859
Chang, F-C *see* Chen, Y-Y
Chao, A-C *see* Chou, C-H
Chappell, AS *see* Sang, CN
Charlesworth, B *see* Klapper, J
Chazot, G *see* Claustrat, B
Chazot, G *see* Lucas, C
Chen, Y-S *see* Juang, K-D
Chen, Y-Y, Lirng, J-F, Fuh, J-L, Chang, F-C, Cheng, H-C & Wang, S-J. Primary cough headache is associated with posterior fossa crowdedness: A morphometric MRI study, 694
Cheng, H-C *see* Chen, Y-Y
Chiquet, C *see* Claustrat, B
Chou, C-H, Chao, A-C, Lu, S-R, Hu, H-H & Wang, S-J. Cephalic venous congestion aggravates only migraine-type headaches, 973
Chronicle, EP & Mulleners, W. Controversies in headache, 317
Chung, C-T *see* Lin, K-H
Chung, SJ, Im, J-H, Lee, J-H & Lee, MC. Determining factors related to pachymeningeal enhancement on brain MRI in CSF hypovolaemia, 903
Chung, SJ, Kwon, SU & Kim, JS. Headache caused by alternating intracranial hypertension and intracranial hypotension: a case report, 235
Ciancarelli, I, Tozzi-Ciancarelli, MG, Di Massimo, C, Marini, C & Carolei, A. Flunarizine effects on oxidative stress in migraine patients, 528
Cicero, AFG *see* Ferrari, A
Claustrat, B, Brun, J, Chiquet, C, Chazot, G & Borson-Chazot, F. Melatonin secretion is supersensitive to light in migraine, 128
Cohen, AS *see* Matharu, MS
Cohen, AS, Matharu, MS & Goadsby, PJ. SUNCT syndrome in the elderly, 508
Colonnese, C *see* D'Alessio, C
Conde, C *see* Seijo-Martínez, M
Conrad, B *see* Sprenger, T
Coppola, F *see* Sarchielli, P
Cordi, AA *see* Kapoor, K
Costa, A *see* Ravaglia, S
Costa, ALC *see* França Jr, MC
Costallat, LTL *see* Appenzeller, S
Croft, PR *see* Thomas, E
Cucnik, S *see* Avcin, T
Curone, M *see* Leone, M

Dahlöf, C *see* Linde, M
Dahlöf, CGH *see* Linde, M
Dainese, F *see* Palmieri, A
D'Alessio, C, Ambrosini, A, Colonnese, C, Pompeo, F, Vandenheede, M, Pierelli, F & Schoenen, J. Indomethacin-responsive hemicrania associated with an extracranial vascular malformation: report of two cases, 997
D'Amico, D *see* Leone, M
D'Amico, D, La Mantia, L, Rigamonti, A, Usai, S, Mascoli, N, Milanese, C & Bussone, G. Prevalence of primary headaches in people with multiple sclerosis, 980
Dartigues, J-F *see* Lucas, C
Davey, R & Al-Din, A. Secondary trigeminal autonomic cephalgia associated with multiple sclerosis, 605
DeLeeuw, R *see* Vazquez-Delgado, E
Demarin, V *see* Lovrencic-Huzjan, A
Dent, W, Spiss, HK, Helbok, R, Matuja, WBP, Scheunemann, S & Schmutzhard, E. Prevalence of migraine in a rural area in South Tanzania: a door-to-door survey, 960
Derman, HS *see* Ondo, WG
Díaz-Martínez, LA *see* Rueda-Sánchez, M
Diener, H-C *see* Katsarava, Z
Diener, H-C *see* Silberstein, SD
Diener, H-C *see* Stude, P
Difruscolo, O *see* de Tommaso, M
van Dijk, JG *see* Vein, AA
Dikshit, M *see* Shukla, R
Diksic, M *see* Dobson, CF
Di Massimo, C *see* Ciancarelli, I
Dinan, T *see* Cassidy, EM
Dobato, JL *see* Barriga, FJ
Dobson, CF, Tohyama, Y, Diksic, M & Hamel, E. Effects of acute or chronic administration of anti-migraine drugs sumatriptan and zolmitriptan on serotonin synthesis in the rat brain, 2
Dodick, D *see* Leone, M
Dodick, DW. Triptans and chest symptoms: the role of pulmonary vasoconstriction, 298
Dodick, DW & Martin, V. Triptans and CNS side-effects: pharmacokinetic and metabolic mechanisms, 417
Dodick, DW & Papademetriou, V. Cardiovascular safety of triptans, 513
Donaldson, C *see* Boers, PM
Donmez, S *see* Kaynak Key, FN
Drummond, PD. Suppression of pain and the R2 component of the blink reflex during optokinetic stimulation, 44
Duru, G *see* Lucas, C
van der Dussen, DH, Bloem, BR, Liauw, L & Ferrari, MD. Ophthalmoplegic migraine: migrainous or inflammatory, 312
Dyb, G *see* Zwart, J-A

Ebersberger, A, Portz, S, Meissner, W, Schaible, H-G & Richter F. Effects of N-, P/Q- and L-type calcium channel blockers on nociceptive neurones of the trigeminal nucleus with input from the dura, 250
Edvinsson, L. Blockade of CGRP receptors in the intracranial vasculature: a new target in the treatment of headache, 611
Eeg-Olofsson, O *see* Laurell, K
Eftedal, OS, Lydersen, S, Helde, G, White, L, Brubakk, AO & Stovner, LJ. A randomized, double blind study of the prophylactic effect of hyperbaric oxygen therapy on migraine, 639
Eikermann, A *see* Diener, HC
Ekbom, K *see* Ekbom, T
Ekbom, K, Sjöstrand, C, Svensson, DA & Waldenlind, E. Periods of cluster headache induced by nitrate therapy and spontaneous remission of angina pectoris during active clusters, 92
Ekbom, T & Ekbom, K. Did Franz Kafka suffer from cluster headache, 309
Elam, M *see* Linde, M
El Hasnaoui, A *see* Lucas, C
El Hasnaoui, A, Vray, M, Blin, P, Nachit-Ouinekh, F & Boureau, F and the HEMISHERE study group. Assessment of migraine severity using the MIGSEV scale: relationship to migraine features and quality of life, 262
EMSASI Study Group: Diener, HC, Bussone, G, de Liano, H, Eikermann, A, Englert, R, Floeter, T, Gallai, V, Göbel, H, Hartung, E, Jimenez, MD, Lange, R, Manzoni, GC, Mueller-Schwefe, G, Nappi, G, Pinessi, L, Prat, J, Puca, FM, Titus, F & Voelker, M. Placebo-controlled comparison of

effervescent acetylsalicylic acid, sumatriptan and ibuprofen in the treatment of migraine attacks, 947
Endicott, NA. Patterns of functional brain organization and migraine, 339
Englert, R *see* Diener, HC
Erdogan, MS *see* Selekler, HM
Erhard, P *see* Sprenger, T
Eriksen, MK, Thomsen, LL, Andersen, I, Nazim, F & Olesen, J. Clinical characteristics of 362 patients with familial migraine with aura, 564
Eriksen, MK, Thomsen, LL & Russell, MB. Prognosis of migraine with aura, 18
Ertan, S *see* Göksan, B
Ertsey, C, Hantos, M, Bozsik, G & Tekes, K. Circulating nociceptin levels during the cluster headache period, 280
Ertsey, C, Manhalter, N, Bozsik, G, Áfra, J & Jelencsik, I. Health-related and condition-specific quality of life in episodic cluster headache, 188
Esposito, SB & Gherpelli, JLD. Chronic daily headaches in children and adolescents: a study of clinical characteristics, 476
Evers, S *see* Leinisch-Dahlke, E
Evers, S, Vollmer-Haase, J, Schwaag, S, Rahmann, A, Husstedt, I-W & Frese, A. Botulinum toxin A in the prophylactic treatment of migraine – a randomized, double-blind, placebo-controlled study, 838

Facchinetti, F *see* Granella, F
Fameli, H *see* Kowacs, PA
Fanciullacci, M & Lance, J. In memory of Federigo Sicuteri (1920–2003), a headache medicine pioneer, 1090
Faulhaber, MHW *see* Peres, MFP
Feifel, U *see* Iovino, M
Ferrari, A, Pasciullo, G, Savino, G, Cicero, AFG, Ottani, A, Bertolini, A & Sternieri, E. Headache treatment before and after the consultation of a specialized centre: a pharmacoepidemiology study, 356
Ferrari, MD *see* van der Dussen, DH
Ferrari, MD *see* van Vliet, JA
Ferrari, MD *see* Vein, AA
Ferrari, MD. Should we advise patients to treat migraine attacks early, 915
Finkel, AG. American academic headache specialists in neurology: practice characteristics and culture, 522
Fischer, R, Vollmar, C, Thiere, M, Born, C, Leitl, M, Pfluger, T & Huber, RM. No evidence of cerebral oedema in severe acute mountain sickness, 66
Fleishaker, JC *see* Baldwin, JR
Floeter, T *see* Diener, HC
Floridi, Al *see* Sarchielli, P
Floridi, Ar *see* Sarchielli, P
França Jr, MC, Costa, ALC & Maciel Jr, JA. Gabapentin-responsive idiopathic stabbing headache, 993
Frandsen, E *see* Kruuse, C
Franzini, A *see* Leone, M
Freitag, FG *see* Sang, CN
Frese, A *see* Evers, S
Fueger, B *see* Oberndorfer, S
Fuh, J-L *see* Chen, Y-Y
Fuh, J-L *see* Juang, K-D
Fuh, J-L *see* Lin, K-H
Fuh, J-L *see* Wang, K-C
Furlan, PM *see* Rebaudengo, N

Gallai, B *see* Sarchielli, P
Gallai, V *see* Diener, HC
Gallai, V *see* Sarchielli, P
Galli, F, Patron, L, Russo, PM, Bruni, O, Strambi, LF & Guidetti, V. Chronic daily headache in childhood and adolescence: clinical aspects and a 4-year follow-up, 850
García-Ramos, G *see* Weder-Cisneros, ND
Garrelds, IM *see* Arulmani, U
Gaudin, A-F *see* Lucas, C
Geocadin, RG *see* Torbey, MT
Gestro, D *see* Calvo, JF
Gherpelli, JLD *see* Esposito, SB
Ghiotto, N *see* Sances, G
Giacovazzo, M *see* Granata, M
Gibson, A *see* Tvedskov, JF
Gibson, M *see* Goldstein, JA
Gili, P *see* Barriga, FJ
Goadsby, PJ *see* Cohen, AS
Goadsby, PJ *see* Leone, M
Goadsby, PJ *see* Lipton, RB
Goadsby, PJ *see* Matharu, MS
Goadsby, PJ *see* Storer, RJ
Goadsby, PJ. A Report on the Journal 2004, 1
Goadsby, PJ & Silberstein, SD. Reply, 908
Göbel, H *see* Diener, HC
Göbel, H, Heinze, A, Niederberger, U, Witt, T & Zumbroich, V. Efficacy of phenazone in the treatment of acute migraine attacks: a double-blind, placebo-controlled, randomized study, 888
Göksan, B, Karaali-Savrun, F, Ertan, S & Savrun, M. Haemodialysis-related headache, 284
Goldstein, JA, Massey, KD, Kirby, S, Gibson, M, Hettiarachchi, J, Rankin, AJ & Jackson, NC. Effect of high-dose intravenous eletriptan on coronary artery diameter, 515
Gottselig, R & Messlinger, K. Noxious chemical stimulation of rat facial mucosa increases intracranial blood flow through a trigemino-parasympathetic reflex – an experimental model for vascular dysfunctions in cluster headache, 206
Granata, M, Ammendolea, C, Nicoletti, M, Martelletti, P & Giacovazzo, M. Headache induced by accidental nitric acid inhalation, 238
Granella, F, Sances, G, Allais, G, Nappi, RE, Tirelli, A, Benedetto, C, Brundu, B, Facchinetti, F & Nappi, G. Characteristics of menstrual and nonmenstrual attacks in women with menstrually related migraine referred to headache centres, 707
Grazzi, L *see* Leone, M
Grisold, W *see* Oberndorfer, S
Guibert-Toledano, M *see* Weder-Cisneros, ND
Guidetti, V *see* Bruni, O
Guidetti, V *see* Galli, F
Guido, M *see* de Tommaso, M

Haan, J *see* van Vliet, JA
de Haan, RJ *see* Padberg, M
Hagen, K *see* Aamodt, AH
Hamel, E *see* Dobson, CF
Hammes, M *see* Sprenger, T
Hantos, M *see* Ertsey, C
Hara, S *see* Ito, M
Hardiman, O *see* Cassidy, EM
Hartung, E *see* Diener, HC
Heiligers, JPC *see* Arulmani, U
Heiligers, JPC *see* Kapoor, K
Heinze, A *see* Göbel, H
Helbok, R *see* Dent, W
Helde, G *see* Eftedal, OS
Helde, G *see* Stovner, LJ
HEMISHERE study group *see* El Hasnaoui, A
Henry, P *see* Lucas, C
Hershey, AD *see* Powers, SW
Hershey, AD, Powers, SW, Vockell, A-LB, LeCates, SL, Segers, A & Kabbouche, MA. Development of a patient-based grading scale for PedMIDAS, 844
Hettiarachchi, J *see* Goldstein, JA
Holmen, TL *see* Zwart, J-A
Hommel, KA *see* Powers, SW
Hu, H-H *see* Chou, C-H
Huang, W-C *see* Wang, K-C
Huber, RM *see* Fischer, R
Husstedt, I-W *see* Evers, S

Ickenstein, GW *see* Reuter, U
Iizuka, T, Sakai, F, Yamakawa, K, Suzuki, K & Suzuki, N. Vasogenic leakage and the mechanism of migraine with prolonged aura in Sturge–Weber syndrome, 767
Im, J-H *see* Chung, SJ
Iovino, M, Feifel, U, Yong, C-L, Wolters, J-M & Wallenstein, G. Safety,

tolerability and pharmacokinetics of BIBN 4096 BS, the first selective small molecule calcitonin gene-related peptide receptor antagonist, following single intravenous administration in healthy volunteers, 645
Isberner, I *see* Leinisch-Dahlke, E
Ito, M, Adachi, N, Nakamura, F, Koyama, T, Okamura, T, Kato, M, Kanemoto, K, Nakano, T, Matsuura, M & Hara, S. Characteristics of postictal headache in patients with partial epilepsy, 23
Iversen, HK *see* Tvedskov, JF

Jackson, NC *see* Goldstein, JA
Jacome, DE. Extracephalic yawning pain, 411
Jelencsik, I *see* Ertsey, C
Jenkins, K *see* Tvedskov, JF
Jensen, R *see* Ashina, M
Jensen, R *see* Mørk, H
Jensen, R *see* Torelli, P
Jimenez, MD *see* Diener, HC
Johnson, KW *see* Sang, CN
Johnson-Pratt, L *see* Kolodny, A
Juang, K-D, Wang, S-J, Fuh, J-L, Lu, S-R & Chen, Y-S. Association between adolescent chronic daily headache and childhood adversity: a community-based study, 54

Kabbouche, MA *see* Hershey, AD
Kanemoto, K *see* Ito, M
Kapoor, K, Willems, EW, MaassenVanDenBrink, A, Heiligers, JPC, Cordi, AA, Vayssettes-Courchay, C, Verbeuren, TJ, Villalón, CM & Saxena, PR. Assessment of anti-migraine potential of a novel α-adrenoceptor agonist S19014: effects on porcine carotid and regional haemodynamics and human coronary artery, 425
Karaali-Savrun, F *see* Göksan, B
Karwautz, A *see* Wöber-Bingöl
Kato, M *see* Ito, M
Katsarava, Z, Limmroth, V, Baykal, O, Akguen, D, Diener, H-C & Kaube, H. Differences of anti-nociceptive mechanisms of migraine drugs on the trigeminal pain processing during and outside acute migraine attacks, 657
Kaube, H *see* Katsarava, Z
Kaynak Key, FN, Donmez, S & Tuzun, U. Epidemiological and clinical characteristics with psychosocial aspects of tension-type headache in Turkish college students, 669
Keidel, M *see* Stude, P
Kelman, L. The aura: a tertiary care study of 952 migraine patients, 728
Kelman, L. The place of osmophobia and taste abnormalities in migraine classification: a tertiary care study of 1237 patients, 940
Kienbacher, C *see* Wöber-Bingöl
Kim, JS *see* Chung, SJ
Kirby, S *see* Goldstein, JA
Klapper, J, Lucas, C, Ramjo, Ø & Charlesworth, B, on behalf of the ZODIAC study group. Benefits of treating highly disabled migraine patients with zolmitriptan while pain is mild, 918
Kolodny, A, Polis, A, Battisti, WP, Johnson-Pratt, L & Skobieranda, F, on behalf of the Rizatriptan Protocol 052 Study Group. Comparison of rizatriptan 5 mg and 10 mg tablets and sumatriptan 25 mg and 50 mg tablets, 540
Kolstad, F *see* Stovner, LJ
Kowacs, PA, Piovesan, EJ, Werneck, LC, Fameli, H & Pereira da Silva, H. Headache related to a specific screen flickering frequency band, 408
Koyama, T *see* Ito, M
Kruuse, C, Frandsen, E, Schifter, S, Thomsen, LL, Birk, S & Olesen, J. Plasma levels of cAMP, cGMP and CGRP in sildenafil-induced headache, 547
Kumar, N & Swanson, JW. The 'red ear syndrome' revisited: two cases and a review of literature, 305
Kwon, SU *see* Chung, SJ

Lagger, F *see* Nedeltchev, K
Lahrmann, H *see* Oberndorfer, S
La Mantia, L *see* D'Amico, D
Lambert, GA *see* Boers, PM
Lance, J *see* Fanciullacci, M
Lange, R *see* Diener, HC
Lantéri-Minet, M *see* Lucas, C
Larocca Santos, H *see* Benzecry de Almeida, D
Larson, E *see* Levin, M
Larsson, B *see* Laurell, K
Laurell, K, Larsson, B & Eeg-Olofsson, O. Prevalence of headache in Swedish schoolchildren, with a focus on tension-type headache, 380
LeCates, SL *see* Hershey, AD
Lee, J-H *see* Chung, SJ
Lee, MC *see* Chung, SJ
Leinisch-Dahlke, E, Akova-Öztürk, E, Bertheau, U, Isberner, I, Evers, S & May A. Patient preference in clinical trials for headache medication: the patient's view, 347
Leitl, M *see* Fischer, R
Lempert, T *see* Neuhauser, H
Leone, M, Curone, M, Mea, E & Bussone, G. Cluster–tic syndrome resolved by removal of pituitary adenoma: the first case, 1088
Leone, M, May, A, Franzini, A, Broggi, G, Dodick, D, Rapoport, A, Goadsby, PJ, Schoenen, J, Bonavita, V & Bussone, G. Deep brain stimulation for intractable chronic cluster headache: proposals for patient selection, 934
Leone, M, Rigamonti, A, Russel, MB, Mea, E, D'Amico, D, Grazzi, L & Bussone, G. Selective vs. complete family interview for detecting those affected by familial cluster headache, 938
Leston, JA *see* Calvo, JF
Levin, M, Ward, TN & Larson, E. Migraine–tic syndrome: a case report of a new headache type, 72
Leyva-Cobián, F *see* Oterino, A
de Liano, H *see* Diener, HC
Liauw, L *see* van der Dussen, DH
Libro, G *see* de Tommaso, M
Limmroth, V *see* Katsarava, Z
Lin, K-H, Wang, P-J, Fuh, J-L, Lu, S-R, Chung, C-T, Tsou, H-K & Wang, S-J. Cluster headache in the Taiwanese — a clinic-based study, 631
Linde, M & Dahlöf, C. Attitudes and burden of disease among self-considered migraineurs – a nation-wide population-based survey in Sweden, 455
Linde, M, Elam, M, Lundblad, L, Olausson, H & Dahlöf, CGH. Sumatriptan (5-$HT_{1B, 1D}$-agonist) causes a transient allodynia, 1057
Lines, CR *see* Silberstein, SD
Lipton, RB *see* Bigal, ME
Lipton, RB, Bigal, ME & Goadsby, PJ. Double-blind clinical trials of oral triptans vs other classes of acute migraine medication – a review, 321
Lirng, J-F *see* Chen, Y-Y
Lirng, J-F *see* Wang, K-C
Lisotto, C, Mainardi, F, Maggioni, F & Zanchin, G. Episodic hypnic headache, 681
Lisotto, C, Mainardi, F, Maggioni, F & Zanchin, G. Headache in Sturge–Weber syndrome: a case report and review of the Literature, 1001
Login, IS *see* Sattin, JA
Losito, L *see* de Tommaso, M
de Lourdes Figuerola, M *see* Calvo, JF
Lovrencic-Huzjan, A, Rumboldt, Z, Marotti, M & Demarin, V. Subarachnoid haemorrhage headache from a developmental venous anomaly, 763
Lu, S-R *see* Chou, C-H

Lu, S-R *see* Juang, K-D
Lu, S-R *see* Lin, K-H
Lucas, C *see* Klapper, J
Lucas, C, Auray, J-P, Gaudin, A-F, Dartigues, J-F, Duru, G, Henry, P, Lantéri-Minet, M, Pradalier, A, Chazot, G & El Hasnaoui, A. Use and misuse of triptans in France: data from the GRIM2000 population survey, 197
Lüdecke, C *see* Stude, P
Lundblad, L *see* Linde, M
Lydersen, S *see* Eftedal, OS

McCarroll, KA *see* Silberstein, SD
McKendrick, AM & Badcock, DR. An analysis of the factors associated with visual field deficits measured with flickering stimuli in-between migraine, 389
McKendrick, AM & Badcock, DR. Motion processing deficits in migraine, 363
MaassenVanDenBrink, A *see* Kapoor, K
Maciel Jr, JA *see* França Jr, MC
Maggioni, F *see* Lisotto, C
Maggioni, F *see* Palmieri, A
Maggioni, F *see* Trucco, M
Magnoux, E. Greater occipital nerve blockade for cluster headache, 239
Mainardi, F *see* Lisotto, C
Mainardi, F *see* Palmieri, A
Mainardi, F *see* Trucco, M
Manhalter, N *see* Ertsey, C
Mansbach, H *see* Barrows, C
Manzoni, GC *see* Diener, HC
Mariano da Silva, H, Benevides-Luz, I, Santos, AC, Bordini, CA, Campaner, L & Speciali, JG. Chronic paroxysmal hemicrania as a manifestation of intracranial parotid gland carcinoma metastasis – a case report, 223
Marini, C *see* Ciancarelli, I
Markelj, G *see* Avcin, T
Marotti, M *see* Lovrencic-Huzjan, A
Martelletti, P *see* Granata, M
Martin, V *see* Dodick, DW
Mascoli, N *see* D'Amico, D
Massey, KD *see* Goldstein, JA
Mateos, V *see* Young, WB
Matharu, MS *see* Cohen, AS
Matharu, MS, Cohen, AS & Goadsby, PJ. SUNCT syndrome responsive to intravenous lidocaine, 985
Matsuura, M *see* Ito, M
Matsuyama, T *see* Takase, Y
Mattle, HP *see* Nedeltchev, K
Mattsson, P. Migraine: preventive treatment, 908
Matuja, WBP *see* Dent, W
May, A *see* Leinisch-Dahlke, E
May, A *see* Leone, M
Mazza, C *see* Rebaudengo, N
Mea, E *see* Leone, M
Meissnet, W *see* Ebersberger, A
Messlinger, K *see* Gottselig, R
Milanese, C *see* D'Amico, D
Millson, DS *see* Thomas, E
Mitsikostas, DD. Is migraine really comorbid with systemic lupus erythematosus?
Moeckesch, B *see* Scholpp, J
Moglia, A *see* Ravaglia, S
Mokri, B, Aksamit, AJ & Atkinson, JLD. Paradoxical postural headaches in cerebrospinal fluid leaks, 883
Mørk, H, Ashina, M, Bendtsen, L, Olesen, J & Jensen, R. Possible mechanisms of pain perception in patients with episodic tension-type headache. A new experimental model of myofascial pain, 466
Mueller-Schwefe, G *see* Diener, HC
Mukherjee, A *see* Chakravarty, A
Mulder, LJMM *see* Stronks, DL
Mulder, LJMM & Spierings, ELH. Non-lateralized pain in a case of chronic paroxysmal hemicrania?, 52
Mulleners, W *see* Chronicle, EP
Muñoz, P *see* Oterino, A
Murphy, KC *see* Cahill, CM

Naccarella, C *see* Buodo, G
Nachit-Ouinekh, F *see* El Hasnaoui, A
Nag, D *see* Shukla, R
Nakamura, F *see* Ito, M
Nakano, M *see* Takase, Y
Nakano, T *see* Ito, M
Nandakumar, TP *see* Cariga, P
Nappi, G *see* Diener, HC
Nappi, G *see* Granella, F
Nappi, G *see* Ravaglia, S
Nappi, G *see* Sances, G
Nappi, RE *see* Granella, F
Nasel, C *see* Oberndorfer, S
Nazim, F *see* Eriksen, MK
Nebel, K *see* Stude, P
Nedeltchev, K, Arnold, M, Schwerzmann, M, Nirkko, A, Lagger, F, Mattle, HP & Sturzenegger, M. Cerebrovascular response to repetitive visual stimulation in interictal migraine with aura, 700
Neubauer, D *see* Avcin, T
Neuhauser, H & Lempert, T. Vertigo and dizziness related to migraine: a diagnostic challenge, 83
Nicoletti, M *see* Granata, M
Niederberger, U *see* Göbel, H
Nikšić, V *see* Avcin, T
Nirkko, A *see* Nedeltchev, K

O'Keane, V *see* Cassidy, EM
Oberndorfer, S, Wöber, C, Nasel, C, Asenbaum, S, Lahrmann, H, Fueger, B & Grisold, W. Familial hemiplegic migraine: follow-up findings of diffusion-weighted magnetic resonance imaging (MRI), perfusion-MRI and [99mTc] HMPAO-SPECT in a patient with prolonged hemiplegic aura, 533
Ogden, H *see* Thomas, E
Okamura, T *see* Ito, M
Okeson, JP *see* Vazquez-Delgado, E
Olausson, H *see* Linde, M
Olesen, J *see* Ashina, M
Olesen, J *see* Eriksen, MK
Olesen, J *see* Kruuse, C
Olesen, J *see* Mørk, H
Olesen, J *see* Thomsen, LL
Olesen, J *see* Torelli, P
Olesen, J *see* Tvedskov, JF
Ondo, WG, Vuong, KD & Derman, HS. Botulinum toxin A for chronic daily headache: a randomized, placebo-controlled, parallel design study, 60
Ornstein, PL *see* Sang, CN
Ostacoli, L *see* Rebaudengo, N
Oterino, A, Valle, N, Bravo, Y, Muñoz, P, Sánchez-Velasco, P, Ruiz-Alegría, C, Castillo, J, Leyva-Cobián, F, Vadillo, A & Pascual, J. MTHFR T677 homozygosis influences the presence of aura in migraineurs, 491
Ottani, A *see* Ferrari, A

Padberg, M, de Bruijn, SFTM, de Haan, RJ & Tavy, DLJ. Treatment of chronic tension-type headache with botulinum toxin: a double-blind, placebo-controlled clinical trial, 675
Palmieri, A, Mainardi, F, Maggioni, F, Dainese, F & Zanchin, G. Hemicrania continua evolving from migraine with aura: clinical evidence of a possible correlation between two forms of primary headache Obituary, 1007
Palomba, D *see* Buodo, G
Papademetriou, V *see* Dodick, DW
Pardutz, A, Szatmári, E, Vecsei, L & Schoenen, J. Nitroglycerin-induced nNOS increase in rat trigeminal nucleus caudalis is inhibited by systemic administration of lysine acetylsalicylate but not of sumatriptan, 439
Pareja, JA *see* Barriga, FJ
Parziale, A *see* Rebaudengo, N
Pasciullo, G *see* Ferrari, A
Pascual, J *see* Oterino, A
Passchier, J *see* Stronks, DL
Patron, L *see* Galli, F
Patton, SR *see* Powers, SW
Pavanelli, E *see* Rebaudengo, N
Peck, R *see* Tvedskov, JF
Pereira da Silva, H *see* Kowacs, PA
Peres, MFP *see* Spitz, M

Peres, MFP, Zukerman, E, Senne Soares, CA, Alonso, EO, Santos, BFC & Faulhaber, MHW. Cerebrospinal fluid glutamate levels in chronic migraine, 735
Pfluger, T *see* Fischer, R
Phebus, LA *see* Sang, CN
Pierelli, F *see* D'Alessio, C
Pinessi, L *see* Diener, HC
Piovesan, EJ *see* Kowacs, PA
Polin, A *see* Kolodny, A
Pompeo, F *see* D'Alessio, C
Portz, S *see* Ebersberger, A
Powers, SW *see* Hershey, AD
Powers, SW, Patton, SR, Hommel, KA & Hershey, AD. Quality of life in paediatric migraine: characterization of age-related effects using PedsQL 4.0, 120
Pozo-Rosich, P *see* Siow, HC,
Pradalier, A *see* Lucas, C
Prandini, M *see* Benzecry de Almeida, D
Prat, J *see* Diener, HC
Puca, FM *see* de Tommaso, M
Puca, FM *see* Diener, HC
Pucci, E *see* Sances, G
Putnam, G *see* Barrows, C

Raghavan, SAV *see* Shukla, R
Rahmann, A *see* Evers, S
Rainero, I *see* Rebaudengo, N
Ramadan, NM *see* Sang, CN
Rankin, AJ *see* Goldstein, JA
Rapoport, A *see* Leone, M
Rapoport, AM *see* Bigal, ME
Ravaglia, S, Costa, A, Santorelli, FM, Nappi, G & Moglia, A. Retinal migraine as unusual feature of cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy (CADASIL), 74
Razumovsky, AY *see* Torbey, MT
Rebaudengo, N, Rainero, I, Parziale, A, Rosina, F, Pevanelli, E, Rubino, E, Mazza, C, Ostacoli, L & Furlan, PM. Lack of interaction between a polymorphism in the dopamine D2 receptor gene and the clinical features of migraine, 503
Rener-Primec, Z *see* Avcin, T
Reuter, U, Salomone, S, Ickenstein, GW & Waeber C. Effects of chronic sumatriptan and zolmitriptan treatment on 5-HT_1 receptor expression and function in rats, 398
Richter F *see* Ebersberger, A
Rigamonti, A *see* D'Amico, D
Rigamonti, A *see* Leone, M
Rigamonti, D *see* Torbey, MT
Rosina, F *see* Rebaudengo, N
Rønja, Ø *see* Klapper, J
Roy, D *see* Chakravarty, A
Rozman, B *see* Avcin, T
Rubino, E *see* Rebaudengo, N
Rueda-Sánchez, M & Díaz-Martínez, LA. Validation of a migraine screening questionnaire in a Colombian university population, 894
Ruiz-Alegría, C *see* Oterino, A
Rumboldt, Z *see* Lovrencic-Huzjan, A
Russel, MB *see* Leone, M
Russell, MB *see* Eriksen, MK
Russo, PM *see* Bruni, O
Russo, PM *see* Galli, F

Sakai, F *see* Iizuka, T
Salomone, S *see* Reuter, U
Sances, G *see* Granella, F
Sances, G, Tassorelli, C, Pucci, E, Ghiotto, N, Sandrini, G & Nappi, G. Reliability of the nitroglycerin provocative test in the diagnosis of neurovascular headaches, 110
Sánchez-del-Río, M *see* Barriga, FJ
Sánchez-López, A *see* Arulmani, U
Sánchez-Velasco, P *see* Oterino, A
Sand, T *see* Zwart, J-A
Sandrini, G *see* Sances, G
Sang, CN, Ramadan, NM, Wallihan, RG, Chappell, AS, Freitag, FG, Smith, TR, Silberstein, SD, Johnson, KW, Phebus, LA, Bleakman, D, Ornstein, PL, Arnold, B, Tepper, SJ & Vandenhende, F. LY293558, a novel AMPA/GluR5 antagonist, is efficacious and well-tolerated in acute migraine, 596
Santorelli, FM *see* Ravaglia, S
Santos, AC *see* Mariano da Silva, H
Santos, BFC *see* Peres, MFP
Sarchielli, P. In memory of Professor Virgilio Gallai, 1009
Sarchielli, P, Alberti, A, Coppola, F, Baldi, A, Gallai, B, Floridi, Al, Floridi, Az, Capocchi, G & Gallai, V. Platelet-activating factor (PAF) in internal jugular venous blood of migraine without aura patients assessed during migraine attacks, 623
Sardaro, M *see* de Tommaso, M
Sarlo, M *see* Buodo, G
Sathirapanya, P. Anginal cephalgia: a serious form of exertional headache, 231
Sattin, JA & Login, IS. Buspirone challenge is not a valid probe of central 5-HT_{1A} receptor function, 510
Saunders, W *see* Barrows, C
Savino, G *see* Ferrari, A
Savrun, M *see* Göksan, B
Saxena, PR *see* Arulmani, U
Saxena, PR *see* Kapoor, K
Schaible, H-G *see* Ebersberger, A
Schellenberg, R *see* Scholpp, J
Scheunemann, S *see* Dent, W
Schiffer, S *see* Kruuse, C
Schmidt, JE *see* Vazquez-Delgado, E
Schmutzhard, E *see* Dent, W
Schoenen, J & Bohotin, V. Reply, 318
Schoenen, J *see* D'Alessio, C
Schoenen, J *see* Leone, M
Schoenen, J *see* Pardutz, A
Scholpp, J, Schellenberg, R, Moeckesch, B & Banik, N. Early treatment of a migraine attack while pain is still mild increases the efficacy of sumatriptan, 925
Schwaag, S *see* Evers, S
Schwerzmann, M *see* Nedeltchev, K
Segers, A *see* Hershey, AD
Seijo-Martinez, M, Castro del Río, M, Conde, C, Brasa, J & Vila, O. Cluster-like headache: association with cervical syringomyelia and Arnold–Chiari malformation, 140
Selekler, HM, Erdogan, MS & Budak, F. Prevalence and clinical characteristics of an experimental model of 'ice-cream headache' in migraine and episodic tension-type headache patients, 293
Senne Soares, CA *see* Peres, MFP
Serim, M *see* Wöber-Bingöl
Seth, PK *see* Shukla, R
Sharma, P *see* Shukla, R
Sheftell, FD *see* Bigal, ME
Shukla, R, Barthwal, MK, Srivastava, N, Sharma, P, Raghavan, SAV, Nag, D, Srimal, RC, Seth, PK & Dikshit, M. Neutrophil-free radical generation and enzymatic antioxidants in migraine patients, 37
Silberstein, SD *see* Ashkenazi, A
Silberstein, SD *see* Goadsby, PJ
Silberstein, SD *see* Sang, CN
Silberstein, SD *see* Siow, HC,
Silberstein, SD, Diener, H-C, McCarroll, KA & Lines, CR. CNS effects of sumatriptan and rizatriptan, 78
Simonsen, H *see* Ashina, M
Siow, HC. Seasonal episodic paroxysmal hemicrania responding to cyclooxygenase-2 inhibitors, 414
Siow, HC, Pozo-Rosich, P & Silberstein, SD. Frovatriptan for the treatment of cluster headaches, 1045
Sjaastad, O & Bakketeig, LS. Caffeine-withdrawal headache. The Vågå study of headache epidemiology, 241
Sjöstrand, C *see* Ekbom, K
Skobieranda, F *see* Kolodny, A
Smith, TR *see* Sang, CN
SNAP Study Group *see* Barrows, C
Speciali, JG *see* Mariano da Silva, H
Spierings, ELH *see* Mulder, LJMM
Spiss, HK *see* Dent, W
Spitz, M & Peres, MFP. Hemicrania continua postpartum, 603

Sprenger, T, Valet, M, Hammes, M, Erhard, P, Berthele, A, Conrad, B & Tolle, TR. Hypothalamic activation in trigeminal autonomic cephalgia: functional imaging of an atypical case, 753
Srimal, RC *see* Shukla, R
Srivastava, N *see* Shukla, R
Sternieri, E *see* Ferrari, A
Storer, RJ & Goadsby, PJ. Topiramate inhibits trigeminovascular neurons in the cat, 1049
Stovner, LJ *see* Aamodt, AH
Stovner, LJ *see* Eftedal, OS
Stovner, LJ *see* Zwart, J-A
Stovner, LJ, Kolstad, F & Helde, G. Radiofrequency denervation of facet joints C2-C6 in cervicogenic headache: A randomized, double-blind, sham-controlled study, 821
Strambi, LF *see* Galli, F
Stronks, DL, Tulen, JHM, Bussmann, JBJ, Mulder, LJMM & Passchier, J. Interictal daily functioning in migraine, 271
Stude, P, Nebel, K, Lüdecke, C, Wiese, H, Diener, H-C & Keidel, M. Quantification of acute neck pain following whiplash injury by computer-aided pressure algesimetry, 1067
Sturzenegger, M *see* Nedeltchev, K
Suzuki, K *see* Iizuka, T
Suzuki, N *see* Iizuka, T
Svensson, DA *see* Ekbom, K
Swanson, JW *see* Kumar, N
Szatmári, E *see* Pardutz, A

Takase, Y, Nakano, M, Tatsumi, C & Matsuyama, T. Clinical features, effectiveness of drug-based treatment, and prognosis of new daily persistent headache (NDPH): 30 cases in Japan, 955
Tassorelli, C *see* Sances, G
Tatsumi, C *see* Takase, Y
Tavy, DLJ *see* Padberg, M
Téllez-Zenteno, JF *see* Weder-Cisneros, ND
Tekes, K *see* Ertsey, C
Tepper, SJ *see* Bigal, ME
Tepper, SJ *see* Sang, CN
Thelt-Hansen, P. Meta-analysis of oral triptans, 688
Thelt-Hansen, P. To members of the International Headache Society (IHS), 691
Thiere, M *see* Fischer, R
Thomas, E, Boardman, HF, Ogden, H, Millson, DS & Croft, PR. Advice and care for headaches: Who seeks it?, who gives it?, 740
Thomsen, LL *see* Eriksen, MK
Thomsen, LL *see* Kruuse, C
Thomsen, LL *see* Tvedskov, JF
Thomsen, LL & Olesen, J. Sporadic hemiplegic migraine, 1016
Tinetti, N *see* Calvo, JF
Tirelli, A *see* Granella, F
Titus, F *see* Diener, HC
Tohyama, Y *see* Dobson, CF
Tolle, TR *see* Sprenger, T
de Tommaso, M, Guido, M, Libro, G, Losito, L, Difruscolo, O, Sardaro, M & Puca, FM. Interictal lack of habituation of mismatch negativity in migraine, 663
Torbey, MT, Geocadin, RG, Razumovsky, AY, Rigamonti, D & Williams, MA. Utility of CSF pressure monitoring to identify idiopathic intracranial hypertension without papilledema in patients with chronic daily headache, 495
Torelli, P, Jensen, R & Olesen, J. Physiotherapy for tension-type headache: a controlled study, 29
Tozzi-Ciancarelli, MG *see* Ciancarelli, I
Trucco, M, Mainardi, F, Maggioni, F, Badino, R & Zanchin, G. Chronic paroxysmal hemicrania, hemicrania continua and SUNCT syndrome in association with other pathologies: a review, 173
Truini, A & Barbanti, P. Impairment of trigeminal sensory pathways in cluster headache, 910
Tsou, H-K *see* Lin, K-H
Tulen, JHM *see* Stronks, DL
Tuzun, U *see* Kaynak Key, FN
Tvedskov, JF, Iversen, HK & Olesen, J. A double-blind study of SB-220453 (Tonerbasat) in the glyceryltrinitrate (GTN) model of migraine, 875
Tvedskov, JF, Thomsen, LL, Iversen, HK, Gibson, A, Wiliams, P & Olesen, J. The prophylactic effect of valproate on glyceryltrinitrate induced migraine, 576
Tvedskov, JF, Thomsen, LL, Thomsen, LL, Iversen, HK, Williams, P, Gibson, A, Jenkins, K, Peck, R & Olesen, J. The effect of propranolol on glyceryltrinitrate-induced headache and arterial response, 1076

Usai, S *see* D'Amico, D

Vadillo, A *see* Oterino, A
Valet, M *see* Sprenger, T
Valle, N *see* Oterino, A
Vandenheede, M *see* D'Alessio, C
Vandenhende, F *see* Sang, CN
Vaysettes-Courchay, C *see* Kapoor, K
Vazquez-Delgado, E, Schmidt, JE, Carlson, CR, DeLeeuw, R & Okeson, JP. Psychological and sleep quality differences between chronic daily headache and temporomandibular disorders patients, 446
Vecsei, L *see* Pardutz, A
Vein, AA, van Dijk, JG & Ferrari, MD. Reply, 910
Velásquez-Paz, AL *see* Weder-Cisneros, ND
Verbeuren, TJ *see* Kapoor, K
Vila, O *see* Seijo-Martinez, M
Villalón, CM *see* Arulmani, U
Villalón, CM *see* Kapoor, K
Violani, C *see* Bruni, O
van Vliet, JA, Haan, J & Ferrari, MD. A patient with long-lasting attacks of bilateral 'blepharospasm', photophobia, lacrimation and rhinorrhoea, 143
Vockell, A-LB *see* Hershey, AD
Voelker, M *see* Diener, HC
Vollmar, C *see* Fischer, R
Vollmer-Haase, J *see* Evers, S
Vray, M *see* El Hasnaoui, A
Vuong, KD *see* Ondo, WG

Waeber C *see* Reuter, U
Waldenlind, E *see* Ekbom, K
Wallenstein, G *see* Iovino, M
Wallihan, RG *see* Sang, CN
Wang, K-C, Fuh, J-L, Lirng, J-F, Huang, W-C & Wang, S-J. Headache profiles in patients with a dilatated cyst of the cavum septi pellucidi, 867
Wang, P-J *see* Lin, K-H
Wang, S-J *see* Chen, Y-Y
Wang, S-J *see* Chou, C-H
Wang, S-J *see* Juang, K-D
Wang, S-J *see* Lin, K-H
Wang, S-J *see* Wang, K-C
Wanner, C *see* Wöber-Bingöl
Ward, TN *see* Levin, M
Weder-Cisneros, ND, Téllez-Zenteno, JF, Cardiel, MH, Guibert-Toledano, M, Cabiedes, J, Velásquez-Paz, AL, García-Ramos, G & Cantú, C. Prevalence and factors associated with headache in patients with systemic lupus erythematosus, 1031
Welch, M *see* Aurora, SK
Werneck, LC *see* Kowacs, PA
Wessely, P *see* Wöber-Bingöl
White, L *see* Eftedal, OS
Wiese, H *see* Stude, P
Wiliams, P *see* Tvedskov, JF
Willems, EW *see* Arulmani, U
Willems, EW *see* Kapoor, K
Williams, MA *see* Torbey, MT
Williams, P *see* Tvedskov, JF
Witt, T *see* Göbel, H
Wöber, C *see* Oberndorfer, S

Wöber, C *see* Wöber-Bingöl
Wöber-Bingöl, Ç, Wöber, C, Karwautz, A, Auterith, A, Serim, M, Zebenholzer, K, Aydinkoc, K, Kienbacher, C, Wanner, C & Wessely, P. Clinical features of migraine: a cross-sectional study in patients aged three to sixty-nine, 12
Wolters, J-M *see* Iovino, M

Yamakawa, K *see* Iizuka, T
Yangüela, J *see* Barriga, FJ
Yong, C-L *see* Iovino, M
Young, WB, Mateos, V & Ashkenazi, A. Occipital nerve block rapidly eliminates allodynia far from the site of headache: a case report, 906

Zagami, AS *see* Boers, PM
Zanchin, G *see* Lisotto, C
Zanchin, G *see* Palmieri, A
Zanchin, G *see* Trucco, M
Zebenholzer, K *see* Wöber-Bingöl
Zukerman, E *see* Peres, MFP
Zumbroich, V *see* Göbel, H
Zupancic, M *see* Avcin, T
Zwart, J-A *see* Aamodt, AH
Zwart, J-A, Dyb, G, Holmen, TL, Stovner, LJ & Sand, T. The prevalence of migraine and tension-type headaches among adolescents in Norway. The Nord-Trøndelag Health Study (Head-HUNT-Youth), a large population-based epidemiological study, 373

Subject index

α-Adrenoceptors, 425
5′,10′-methylenetetrahydrofolate reductase (MTHFR), 491
5-HT$_1$ receptor, 2, 398
5-HT$_{1A}$ receptors, 99
5-HT$_{1B/1D}$ agonist, 288
5-HT$_{1B/1D}$ receptors, 99
5-Hydroxytryptamine, 466

abulatory accelerometry, 271
academic, 522
acetylsalicylic acid, 947
actigraphy, 134
acute attack treatment, 707
acute mountain sickness, 66
acute sensitization, 925
acute therapy, 888
acute treatment, 356
adolescent, 54
adolescent psychology, 54
adolescents, 12, 120, 288, 373
adults, 12
agatoxin, 250
aggregation, 586
allodynia, 735, 1057
almotriptan, 288
anaemia, 758
analgesic overuse, 850
analgesics, 321
angina pectoris, 92
angiography, 515
anti-β$_2$ glycoprotein I antibodies, 831
anticardio-lipin antibodies, 831
antiphospholipid antibodies, 831, 1024
arteriovenous anastomoses, 425
aura, 18, 503, 728, 985

benign cough headache, 694
BIBN 4096 BS, 646
bilateral headache, 52
blink reflex, 44, 657
botulinum toxin, 675
botulinum toxin A, 60, 838
bradykinin, 466
brain organization, 339
burden, 455

caffeine-withdrawal headache, 241
calcitonin gene-related peptide, 646
cAMP, 547
capsaicin, 717
cardiac output, 425
carotid haemodynamics, 717
catalase, 37
catecholamine (noradrenaline), 1077
caudal spinal trigeminal nucleus, 439
cavum septi pellucidi, 867

CBF, 576, 1077
central auditory processing, 663
central sensitization, 161, 735
cerebellar, 83
cerebral haemodynamics, 700
cerebral oedema, 66
cerebral venous congestion, 973
cervicogenic headache, 821
cGMP, 547
CGRP, 547, 611, 717
CGRP blockers, 611
chemodenervation, 60
chest symptoms, 298
Chiari malformation, 694, 883
child development, 54
childhood, 554, 831
children, 12, 120, 134, 333, 380, 476
chloroquine, 1031
chronic, 1045
chronic daily headache, 54, 60, 446, 476, 484, 495, 850
chronic migraine, 735
chronic paroxysmal hemicrania, 52, 173
chronic tension-type headache, 29, 675, 967
citrulline, 967
classification, 940
clinical characteristics, 1016
clinical features, 12
clinical trial, 321, 347
clinical trials, 586
cluster headache, 92, 110, 185, 188, 206, 280, 611, 631, 753, 859, 934, 938, 1045, 1049
CNS, 417
coffee, 241
cognitive processing, 554
co-morbidity, 850
computer-aided pressure algesimetry, 1067
conotoxin, 250
contrast sensitivity, 389
cortical blood flow, 206
CPH, 753
CSF, 735
cumulative organ damage, 1024

daily functioning, 271
data analysis, 586
data mining, 586
deep brain stimulation, 934
deficient habituation, 663
diagnosis follow-up, 850
diagnostic support, 110
diffuse noxious inhibitory controls, 44
diffusion weighted imaging, 66
disability, 120
dizziness, 83
door-to-door survey, 960
dopamine D2 receptor gene, 503
drug interaction, 875
drug overuse, 398

eagle syndrome, 411
early intervention, 925
education, 522
eletriptan, 515
endothelin, 639
epidemiology, 197, 455, 631, 960
episodic, 1045
episodic tension-type headache, 29, 293
ergotamine, 321
event-related potentials, 554
exertional headache, 867
experimental, 576, 875, 1077

facet joint, 821
familial, 564
familial hemiplegic migraine, 533
familial occurrence, 938
family history of migraine, 339
ferritin, 758
fibromyalgia, 735
flicker frequency, 408
flunarizine, 528
fMRI, 753
folate metabolism, 491
follow-up, 18
France, 197
frontal lobe epilepsy, 23
frovatriptan, 1045
fTCD, 700
functional disability, 844

GABA, 250
gabapentin, 993
genetic, 503, 938
genetics, 564, 1016
glutamate, 735
glutamate receptors, 596
glutathione peroxidase, 37
glyceryl trinitrate, 92, 967
glyceryltrinitrate, 576, 875, 1077
grading of headache, 241
graine, 271

haemodialysis, 284
haemodialysis-related headache, 284
haemoglobin, 758
headache, 2, 29, 60, 120, 197, 241, 262, 284, 356, 373, 380, 408, 476, 522, 540, 576, 586, 728, 740, 758, 875, 940, 980, 985, 1031, 1077

© Blackwell Publishing Ltd

headache model, 576, 1077
headaches, 844
health care seeking behaviour, 740
health-related quality of life, 188
healthy volunteers, 646
hemicrania continua, 173, 603
high al-titude, 66
histamine, 466
human, 280, 576, 875, 1077
human experimental muscle pain, 466
Hürthle cell carcinoma, 411
hyperalgesia, 1057
hyperbaric oxygen therapy, 639
hypotension, 875
hypothalamus, 934

ibuprofen, 947
ice-cream headache, 293
idiopathic intracranial hypertension, 495
idiopathic stabbing headache, 993
IHS criteria, 12, 380, 960
indomethacin, 52, 173
ingestion of cold stimulus, 293
inheritance, 564
interferon, 980
interictal, 271
internal jugular venous blood, 623
International Headache Society criteria, 980
interview, 938
intracranial pressure monitoring, 495

lacrimation, 206
lidocaine, 985
lifetime prevalence, 980
light, 128
light stimuli, 408
lipid peroxidation by-products, 528
lupus anticoagulant, 831
LY293558, 596
lysine acetylsalicylate, 439

major depression, 339
medication overuse, 484
melatonin, 128
meningeal blood flow, 206
meninges, 250
menstrual cycle, 707
menstrually related migraine, 707
microdialysis, 161
microspheres, 425
migraine, 2, 12, 18, 23, 37, 44, 83, 99, 110, 128, 134, 197, 262, 288, 293, 333, 339, 356, 373, 380, 389, 408, 411, 425, 455, 476, 503, 515, 528, 540, 547, 576, 586, 596, 611, 639, 657, 663, 717, 728, 758, 831, 838, 875, 888, 894, 918, 925, 940, 947, 960, 973, 980, 1024, 1031, 1049, 1057, 1077
migraine-specific quality of life questionnaire (MSQ2.1), 188
migraine therapy, 347
migraine triggers, 408
migraine with aura, 491, 564, 700
migraine with typical aura, 1016
migraine without aura, 554, 707
migraine without aura attacks, 623
MIGSEV, 262
mismatch negativity, 663
modes of treatment, 925
mood, 271
motion sickness, 44, 83
MR myelography, 883
MRI, 533, 694, 867
muscle tenderness, 161
myofascial pain, 446

naratriptan, 99, 586
neck pain, 821, 1067
neurological model, 875
neutrophils, 37
new daily persistent headache, 867, 955
nimodipine, 250
nitrates, 92
nitric oxide, 92, 161, 528, 576, 875, 967, 1077
nitric oxide synthase, 439
nitroglycerin, 110, 439, 576, 875, 1077
nociceptin, 280
non-lateralized pain, 52
non-steroidal medication, 321
occipital lobe epilepsy, 23

OP-4 receptor, 280
optimizing treatment, 918
organic headache, 173
osmophobia, 940
oxidative stress, 37

pachymeningeal enhancement, 883
paediatric, 850
paediatric disorders, 844
paediatric psychology, 120
pain, 2, 844
pain quantification, 1067
pain relief, 540
papilledema, 495
parasympathetic system, 206
parents, 120
paroxysomal hemicrania, 859
pathophysiological considerations, 1016
patient preference, 347
perimetry, 389
persistent aura, 533
pharmacists, 740
pharmacokinetics, 288, 646
pharmacological treatment, 955
pharmacology, 576, 875, 1077
phenazone, 888
physiotherapy, 29
placebo, 947
placebo-controlled randomized study, 868
plasma, 547
platelet-activating factor, 623
platelet-activating factor acetylhydrolase, 623
polymorphism, 503
postictal headache, 23
postpartum, 603
postural headache, 883
prazosin, 425
prevalence, 373, 380, 669, 960
preventive, 1049
preventive treatment, 29
primary care, 740
primary cough headache, 694
prognosis, 18
prophylactic treatment, 356, 838
propranolol, 1077
prostaglandin E_2, 466
protein extravasation, 398
provocative test, 110
psychiatric, 850
psychological factors, 446
psychosocial factors, 669

quality of life, 262, 455, 844
Queckenstedt's test, 973
questionnaire, 894

R2, 44
radiofrequency neurotomy, 821
randomized controlled crossover trial, 947
randomized controlled trial, 596
rauwolscine, 425
reaction times, 554
recursive partitioning, 586
rheumatoid arthritis, 1031
risk, 938
risk factor, 54
risk factors, 740
rizatriptan, 540

S19014, 425
safety, 646
SB-220453, 875
screening, 894
sensory thresholds, 1057
severity, 262
short attacks, 333
short-form health survey (SF-36), 188
shunt, 495
side effects, 417
sildenafil, 547
sleep, 134
sleep quality, 446
South Tanzania, 960
specialty practice, 522
SPECT, 533
spontaneous CSF leak, 883
sporadic hemiplegic migraine, 1016
statistics, 586
sumatriptan, 439, 515, 540, 586, 717, 925, 947

SUNCT, 753
SUNCT syndrome, 173, 859, 985
sunshine duration, 631
superoxide dismutase, 37
supersensitivity, 128
surgery, 934, 894
Sweden, 455
symptomathology, 564
systemic lupus erythematosus, 1024, 1031

Taiwan, 631
taste abnormalities, 940
temporal lobe epilepsy, 23
temporomandibular joint pain, 446
tension-type headache, 29, 161, 373, 380, 476, 669
therapy, 934
Tonerbasat, 875
topiramate, 985
transcranial Doppler, 1077
transcranial doppler, 576
transformed migraine, 484
treatment, 993
treatment outcome, 484
trigeminal autonomic cephalgia, 753
trigeminal autonomic cephalgias, 859
trigeminal neuralgia, 753
trigeminal nociception, 657
trigeminal nucleus caudalis, 99
trigeminal sensitization, 44
trigem-ino-autonomic cephalgias, 185
trigeminovascular, 1049
trigeminovascular reflex, 611
trigeminovascular system, 280
triptan, 398
triptans, 197, 298, 321, 417, 1057
tryptophan hydroxylase, 2
Turkish-students, 669

under-treatment, 356
unilateral headaches, 185

validation, 894
valproate, 576
valsalva manoeuvre, 185
vasoconstriction, 298, 398, 425, 515
vertigo, 83
VIP, 611
visual, 728
visual fields, 389
visual stimulation, 700

whiplash injury, 1067

yawning, 411
young patients, 993
young population, 669

zolmitriptan, 918